

REMARKS/ARGUMENTS

In the Office Action mailed September 20, 2007 (hereinafter “Office Action”), the Office Action rejected claims 1-6, 8, 10-12, 15, 17, 19-31, 33, 35-38, 41-49, 51, 53-55 and 58-71 under 35 U.S.C. § 103.

Applicants respectfully respond to the Office Action.

I. Rejection of Claims 1-6, 8, 10-12, 15, 17, 19-31, 33, 35-38, 41-49, 51, 53-55 and 58-71 Under 35 U.S.C. § 103

Claims 1-6, 8, 10-12, 15, 17, 19-31, 33, 35-38, 41-49, 51, 53-55 and 58-71 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over U.S. Patent No. 6,891,838 to Petite et al. (hereinafter, “Petite”) in view of U.S. Patent Application Publication No. 2002/0019831 to Wade et al. (hereinafter, “Wade”) in further view of U.S. Patent Application Publication No. 2003/0083078 to Allison et al. (hereinafter, “Allison”). This rejection is respectfully traversed.

The factual inquiries that are relevant in the determination of obviousness are determining the scope and contents of the prior art, ascertaining the differences between the prior art and the claims in issue, resolving the level of ordinary skill in the art, and evaluating evidence of secondary consideration. KSR Int’l Co. v. Teleflex Inc., 550 U.S. ___, 2007 U.S. LEXIS 4745, at **4-5 (2007) (citing Graham v. John Deere Co. of Kansas City, 383 U.S. 1, 17-18 (1966)). To establish a *prima facie* case of obviousness, the prior art references “must teach or suggest all the claim limitations.” M.P.E.P. § 2142. Moreover, the analysis in support of an obviousness rejection “should be made explicit.” KSR, 2007 U.S. LEXIS 4745, at **37. “[R]ejections on obviousness grounds cannot be sustained by mere conclusory statements; instead, there must be some articulated reasoning with some rational underpinning to support the legal conclusion of obviousness.” Id. (citing In re Kahn, 441 F.3d 977, 988 (Fed. Cir. 2006)).

Applicants respectfully submit that the claims at issue are patentably distinct from the cited references. The cited references do not teach or suggest all of the subject matter in these claims.

Claim 1 recites “a paging module in electronic communication with the processor for communicating with a computer through a paging network .” The Office Action admits that “Petite does not teach a paging module in electronic communication with the processor for communicating with a computer through a paging network.” (Office Action, page 4.) The addition of Wade does not overcome the deficiencies of Petite.

Wade states “[t]he user node 12 may be any device which allows a user to access information from the Internet 16 . . . The user node 16 may access the Internet 16 through . . . a paging network . . . The user node 12 . . . may comprise any device, such as . . . a pager.” (Wade, page 4, paragraph [0052].) Regarding this portion of Wade, the Office Action asserts “it would have been obvious to one of ordinary skill in the art at the time of the invention was made to use the paging network, including paging modules that enable communication via said paging network, of Wade in the system of Petite as an alternative means for communicating with the servers.” (Office Action, page 4.) Applicants respectfully disagree with this assertion.

The first paragraph of 35 U.S.C. § 112 states:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set form the best mode contemplated by the inventor of carrying out his invention.

35 U.S.C. § 112, first paragraph.

Wade is directed to “methods of delivering advertisements over the Internet.” (Wade, page 2, paragraph [0019].) According to Wade, one disadvantage of existing methods of delivering advertisements over the Internet that Wade attempts to overcome is that “the advertisements take a relatively long time to download.” (*Id.*) Wade further states “[a] need therefore exists for systems and methods for reducing the amount of time or the bandwidth necessary to deliver advertisements over the Internet.” (*Id.*) Applicants submit that the specification of Wade, which simply states that that the user node may be a pager which may access the Internet through a paging network, does not enable any person skilled in the art on how to actually use a paging device to receive advertisements

over the Internet and “reduc[e] the amount of time or the bandwidth necessary to deliver advertisements over the Internet.” (Id.)

It is well known in the art that a pager is a telecommunications device used to request a phone call from a pager subscriber and/or receive simple text communications in the form of e-mail. (Pager, <http://en.wikipedia.org/w/index.php?title=Pager&oldid=175437237> (last visited Dec. 4, 2007) (shown in Exhibit A, attached).) Wade does not enable any person skilled in the art to how to receive and display advertisements over the Internet using a pager and a paging network.

For example, Wade states:

At 112, the user node 12 manipulates the initial download and launches the audio file, which may be music. At 113 , 114, and 115 , the user node 12 continues to play the advertisement in accordance with the Java applets and scripts received from the advertisement server 20. The user node 12 completes the playing of the advertisement at 115 and then, at 116, transmits the verification signal to the advertisement server 20.

Wade, page 7, paragraph [0081].

The specification of Wade does not enable any person skilled in the art on how a pager could “launch[] the audio file, which may be music . . . [and] continue[] to play the advertisement in accordance with the Java applets and scripts received from the advertisement server.” (Id.) In addition, Wade states:

According to one aspect of the invention, the presentation includes an initial download that can be quickly delivered to the user's node through a computer network, which is preferably the Internet . . . The presentation also includes subsequent downloads that are transmitted through the Internet to the user's node for completing the presentation. The presentation is preferably a multi-media presentation which includes any combination of text, graphics, and audio. Along with the initial download and the subsequent download, a delivery verification command is also transmitted to the user's computer.

Wade, page 3, paragraph [0020].

Again, the specification of Wade does not enable any person skilled in the art on how a pager could download a presentation that “is preferably a multi-media presentation which includes any combination of text, graphics, and audio.” (Id.) Instead, a pager is “a small radio receiver which

beeps to alert the wearer of messages or telephone calls. It displays the telephone number of the caller so the wearer can call back.” (Pager, <http://www.computeruser.com/resources/dictionary/dictionary.html> (last visited, Dec. 4, 2007) (shown in Exhibit B, attached).) Wade has provided no enablement as to how a paging device could download and display a multi-media presentation (e.g., banner ads on web sites).

Wade also does not enable any person skilled in the art as to how implementing a paging network “reduce[s] the amount of time or the bandwidth necessary to deliver advertisements over the Internet.” In the United States, pagers typically receive signals over a paging network using the FLEX protocol. (Pager, <http://en.wikipedia.org/w/index.php?title=Pager&oldid=175437237> (last visited Dec. 4, 2007) (shown in Exhibit A, attached).) The FLEX protocol transmits data at speeds of 1.6 kbps to 6.4 kbps. (FLEX (protocol), http://en.wikipedia.org/w/index.php?title=FLEX_%28protocol%29&oldid=169634277 (last visited Dec. 4, 2007) (shown in Exhibit C, attached).) These speeds are substantially lower than a modem that can transmit data at 56 kbps, digital subscriber lines (DSL) that carry data at a rate of 1.5 mbps and cable modems that can transmit data at 10 mbps. (DSL, <http://www.computeruser.com/resources/dictionary/dictionary.html> (last visited Dec. 4, 2007) (shown in Exhibit D, attached) and Cable Modem, <http://www.computeruser.com/resources/dictionary/dictionary.html> (last visited Dec. 4, 2007) (shown in Exhibit E, attached).) As such, using a pager and paging network would substantially increase the time necessary to deliver advertisements over the Internet. In other words, implementing a pager and paging network with the invention of Wade would produce undesirable results. The specification of Wade does not enable any person skilled in the art on how the use of a pager and paging network would “reduce the amount of time or the bandwidth necessary to deliver advertisements over the Internet.”

Further, the M.P.E.P. states “the claimed combination cannot change the principle of operation of the primary reference or render the reference inoperable for its intended purpose.” See M.P.E.P. § 2143.01. The purpose of the Petite reference is to “monitor[], report[], and control[]

residential systems, via a multiple access wide area network, a gateway, radio-frequency transceivers and repeaters, and software applications.” (Petite, col. 1, lines 30-34.) In particular, Petite states “[t]he local gateways . . . may be configured to . . . communicate the remote data signal transmissions . . . to one or more application servers . . . or other . . . interconnected computing devices.” (Petite, col. 7, lines 43-48.) Accordingly, an intended purpose of Petite is for the gateway to communicate with the computing devices.

The Office Action relies on the following of Petite, which states:

It will be appreciated by those skilled in the art that the information transmitted and received by the RF communication devices of the present invention may be further integrated with other data transmission protocols for transmission across telecommunications and computer networks other than the WAN 130. In addition, it should be further appreciated that telecommunications and computer networks other than the WAN 130 can function as a transmission path between the communicatively coupled RF communication devices, the local gateways 110, and the application server 160.

Petite, col. 9, lines 4-14.

It appears that the Office Action relies on the above general statement of Petite to support the assertion that “there is a suggestion for an alternative communication means.” (Office Action, page 2.) However, simply because Petite provides an overly broad, generalized statement regarding other communication means, does not mean that the use of a paging network would be practical or even possible in Petite. If the paging module taught in Wade was implemented in the local gateway of Petite, Petite would be rendered inoperable for its intended purpose. In other words, the gateway would be unable to communicate with the “application servers . . . or other interconnected computing devices.”

As previously stated, pagers are used to send/receive small amounts of data, such as short numeric and alphanumeric messages. In contrast, the local gateways of Petite “communicate information in the form of data and control signals.” If the gateways of Petite were communicating using a paging network, the amount of “data and control signals” that are communicated would be substantially reduced or eliminated.

Further, devices that are capable of transmitting/receiving pages over a paging network are not constantly connected to a paging network. In contradistinction, computers, as taught in Petite, are constantly connected to their computer networks. For example, “the local gateways 10 are permanently integrated with the WAN.” (Petite, col. 8, lines 28-29.) Applicants submit that one of ordinary skill in the art would not find it obvious to include “gateways”, “workstations” or “laptops” with paging capabilities because the size of signals sent through a paging network are limited to a small amount of data and “gateways”, “workstations” or “laptops” permanently connected to a paging network would greatly hinder the efficiency of the paging network.

Further, if a paging network was incorporated in Petite, and the gateways were not permanently integrated with the paging network, a particular portion of Petite would be rendered unsatisfactory for its intended purpose. For example, Petite states “[s]ince the local gateways are permanently integrated with the WAN 130, the application server 160 can host application specific software which was typically hosted in an application specific local controller.” (Petite, col. 8, lines 28-32.) In other words, if the gateways were not permanently incorporated with the network, the application server would not be able to host application specific software. As previously mentioned, one of ordinary skill in the art would not permanently connect a gateway to a paging network because the efficiency of the paging network would be greatly hindered. As such, the application server in Petite would not be able to host application specific software because the gateway would not be permanently integrated with the network.

In summary, the blanket statements of Wade and Petite to incorporate pagers and paging networks do not render Applicants’ claim obvious. The specification of Wade clearly does not enable one of ordinary skill in the art on how pagers and paging networks could be implemented in the invention of Wade. Further, the “proposed modification [including a paging module on the gateway] would render [Petite] . . . unsatisfactory for its intended purpose” (See M.P.E.P. § 2143.01) because the gateway would be unable to communicate the same amount of data and control signals with the “application servers . . . or other . . . interconnected computing devices.” In addition, since

the gateways would not be permanently integrated with the WAN, the application server would not be able to host application specific software.

The addition of Allison does not overcome the deficiencies of Petite and Wade. The Office Action merely points to Allison to support the assertion that “Allison teaches a gateway comprising a message queue for storing inbound and outbound messages.” (Office Action, page 5.) The Office Action does not point to, and Applicants can not find, any teaching or suggestion by Allison of “a paging module in electronic communication with the processor for communicating with a computer through a paging network.”

In view of the foregoing, Applicants respectfully submit that claim 1 is patentably distinct from the cited references. Accordingly, Applicants respectfully request that the rejection of claim 1 be withdrawn.

Claims 2-6, 8, 10-12, 15, 17 and 19-24 depend either directly or indirectly from claim 1. Accordingly, Applicants respectfully request that the rejection of claims 2-6, 8, 10-12, 15, 17 and 19-24 be withdrawn.

Claims 25, 43, 59, 70 and 71 include subject matter similar to the subject matter of claim 1. As such, Applicants submit that claims 25, 43, 59, 70 and 71 are patentably distinct from the cited references for at least the same reasons as those presented above in connection with claim 1. Accordingly, Applicants respectfully request that the rejection of claims 25, 43, 59, 70 and 71 be withdrawn.


Claims 26-31, 33, 35-38 and 41-42 depend either directly or indirectly from claim 25. Claims 44-49, 51, 53-55 and 58 depend either directly or indirectly from claim 43. Claims 60-69 depend either directly or indirectly from claim 59. Accordingly, Applicants respectfully that the rejection of claims 26-31, 33, 35-38, 41-42, 44-49, 51, 53-55, 58 and 60-69 be withdrawn.

Appl. No. 09/922,813
Amdt. dated December 20, 2007
Reply to Office Action of September 20, 2007

II. Conclusion

Applicants respectfully assert that all pending claims are patentably distinct from the cited references, and request that a timely Notice of Allowance be issued in this case. If there are any remaining issues preventing allowance of the pending claims that may be clarified by telephone, the Examiner is requested to call the undersigned.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Wesley L. Austin". The signature is fluid and cursive, with the first name "Wesley" being the most prominent.

/Wesley L. Austin/

Wesley L. Austin
Reg. No. 42,273
Attorney for Applicant

Date: December 20, 2007

MADSON & AUSTIN
Gateway Tower West
15 West South Temple, Suite 900
Salt Lake City, Utah 84101
Telephone: (801) 537-1700

Appl. No. 09/922,813
Amdt. dated December 20, 2007
Reply to Office Action of September 20, 2007

EXHIBIT APPENDIX

EXHIBITS A-E

Appl. No. 09/922,813
Amdt. dated December 20, 2007
Reply to Office Action of September 20, 2007

EXHIBIT A

(Exhibit A includes 5 pages including cover page)

Pager

From Wikipedia, the free encyclopedia

This is an old revision of this page, as edited by RandalSchwartz (Talk | contribs) at 07:59, 3 December 2007. It may differ significantly from the current revision.

(diff) ← Older revision | current version (diff) | Newer revision → (diff)

A **pager** (sometimes referred to as a *Beeper*) is a personal telecommunications device used to request a phone call from a pager subscriber and/or receive simple text communications in the form of e-mail and SMS. Pagers exist as one-way numeric and alphanumeric models that only receive incoming communications and as two-way alphanumeric models capable of sending e-mails and SMS messaging.

Until the popular adoption of mobile phones in the late 1990s, pagers fulfilled the role of common personal and mobile communications. As of 2007, pagers have fallen into obsolescence and are preserved only by niche markets consisting largely of emergency service personnel, medical personnel, and information technology support staff.

Contents

- 1 History
- 2 Function and operation
- 3 Pager use in the 21st century
- 4 Security
- 5 Technical information
- 6 See also
- 7 External links

History

Paging was invented by Multitone Electronics in 1956 at St Thomas' Hospital in London to alert doctors attending emergencies. Since then, paging has evolved in sophistication. Today, millions of messages are transmitted to people needing fast, reliable messaging communications.

In the world of paging there are two distinct categories of system in operation. There are on-site paging systems that are used in hospitals to convey the same urgent information as when they were invented in 1956. The other type is wide area paging, which offers similar features as on-site paging, but provides the radio coverage across a city, region or country rather than in just one hospital building.

Originally operating on AM radio frequencies, paging moved to FM schemes prior to becoming a ubiquitous form of communications around the developed and developing world. In some cases, before the advent of cellular phone systems the pager was used as a replacement for a lack of cheap local or international phone services.

Function and operation


Paging is a subscription service offered in a variety of plans and options to meet the needs of a subscriber and the type of device used. In general, all pagers are given unique phone numbers while **alphanumeric pagers** are given an e-mail address, usually consisting of the phone number.

Upon calling a phone number assigned to a pager, the calling party reaches a recorded greeting asking the caller to enter a numeric message, and sometimes giving the caller an option to leave voice mail. Usually, within a few minutes, the paged person will receive an alert from the pager with the phone number to return the call and/or a pager code. In the case of e-mail paging, the text is be displayed.

- **Numeric pagers** are the simplest of the type of devices offering only a numeric display of the phone number to be called and pager codes
- **Alphanumeric pagers** are essentially modified versions of numeric pagers with sophisticated display to accommodate text. These devices are usually given an e-mail address to receive text messages.
- **Two-way Alphanumeric pagers** are alphanumeric pagers with the ability to send text messages typed in with a small keyboard.

Most modern paging systems use simulcast delivery by satellite controlled networks. This type of distributed system makes them inherently more reliable than terrestrial based cellular networks for message delivery. Many paging transmitters may overlap a coverage area, while cellular systems are built to fill holes in existing networks. When terrestrial networks go down in an emergency, satellite systems continue to perform. Because of superior building penetration and availability of service in disaster situations, pagers are often used by first responders in emergencies.

Pager use in the 21st century



The front end of a numeric pager



A Motorola alphanumeric pager used in Brazil in the 1990s, operated by Teletrim

Pagers are still in use today in places where mobile phones typically cannot reach users, and also in places where the operation of the radio transmitters contained in mobile phones is problematic or prohibited. One such type of location is a large hospital complex, where cellular coverage is often weak or nonexistent, where radio transmitters are suggested to interfere with sensitive medical equipment and where there is a greater need of assurance for a timely delivery of a message.

Some common environments in which pagers are still used are:

- Pagers remain in use to notify emergency personnel. For example, they are required to be used by UK lifeboat men and retained firefighters.
- Pagers are mostly carried by staff in medical establishments, allowing them to be summoned to emergencies.
- Pagers are also widely used in the IT world, especially in cases where on-call technicians cannot rely on more modern cellular telephone systems. A good example would be in a cellular telephone company, where a service interruption in the cellular network would also mean that it would not be possible to notify a technician due to the outage in the network. Therefore, in these companies, engineers are usually equipped with a pager that uses another telco's mobile network to ensure reachability in case of emergency. Pagers are also frequently used by non-telco IT departments.

Additionally, some irrigation control systems and traffic signals are now controlled by messages sent via paging networks. Due to energy concerns in the United States and other countries, 2Way paging networks are being used for power company meter reading and control.

Security

Pagers also have privacy advantages compared with cellular phones. Since a one-way pager is a passive receiver only (it sends no information back to the base station), its location cannot be tracked. However, this can also be disadvantageous, as a message sent to a pager must be broadcast from every paging transmitter in the pager's service area. Thus, if a pager has nationwide service, a message sent to it could be intercepted by criminals or law enforcement agencies anywhere within the nationwide service area.

Technical information

Many paging network operators now allow numeric and textual pages to be submitted to the paging networks via email. This is convenient for many users, due to the widespread adoption of email; but email-based message submission methods do not usually provide any way to ensure that messages have been received by the paging network. This can result in pager messages being delayed or lost. Older forms of message submission using the Telocator Alphanumeric Input Protocol protocol involve modem connections directly to a paging network, and are less subject to these delays. For this reason, older forms of message submission retain their usefulness for disseminating highly-important alerts to users such as emergency services personnel.


Common paging protocols include TAP, FLEX, ReFLEX, POCSAG, Golay, ERMES and NTT. Past paging protocols include Two-tone and 5/6-tone.

In the United States, pagers typically receive signals using the FLEX protocol in the 900 MHz band. Commercial paging transmitters typically radiate 1000 watts of effective power, resulting in a much wider coverage area per tower than a mobile phone transmitter, which typically radiates around 0.6 Watts per channel.

Although 900 MHz FLEX paging networks tend to have stronger in-building coverage than mobile phone networks, commercial paging service providers will work with large institutions to install repeater equipment in the event that service is not available in needed areas of the subscribing institution's buildings. This is especially critical in hospital settings where emergency staff must be able to reliably receive pages in order to respond to patient needs.

Unlike mobile phones, most one-way pagers do not display any information about whether a signal is being received or about the strength of the received signal. Since one-way pagers do not contain transmitters, one-way paging networks have no way to track whether a message has been successfully delivered to a pager. Because of this, if a one-way pager is turned off or is not receiving a usable signal at the time a message is transmitted, the message will never be received and the sender of the message will not be notified of this fact.


Other radio bands used for pagers include the 400 MHz band, the VHF band, and the FM commercial broadcast band (88-108 MHz). Other paging protocols used in the VHF, 400 MHz UHF, and 900 MHz bands include POCSAG and ERMES. Pagers using the commercial FM band receive a subcarrier, called the Subsidiary Communications Authority, of a broadcast station.



A Skyper pager that is in use for HAM Radio



A pager that is in use for emergency services



A mid '90s opaque black Avont pager model

See also

- Alfred J. Gross
- Plectron
- Motorola Minitor Voice Pager

External links

- MULTITONE ELECTRONICS Inventors & manufacturers of paging systems (<http://www.multitone.com/>)
- BBC news reports closure of UK domestic pager systems in 2001 (<http://news.bbc.co.uk/1/hi/uk/1137923.stm>)
- POCSAG and FLeX pager gallery (<http://www.starboy.ru/pagers/pagers.html>)

Retrieved from "<http://en.wikipedia.org/wiki/Pager>"

Categories: Articles lacking sources from November 2007 | All articles lacking sources | Consumer electronics | Wireless communications | Mobile telephony | Telecommunications equipment

-
- This version of the page has been revised.

Besides normal editing, the reason for revision may have been that this version contains factual inaccuracies, vandalism, or material not compatible with the GNU Free Documentation License.

Appl. No. 09/922,813
Amdt. dated December 20, 2007
Reply to Office Action of September 20, 2007

EXHIBIT B

(Exhibit B includes 2 pages including cover page)


[Articles](#) | [PR](#) | [Videos](#) | [Education](#) | [Blogs](#)
Search [Get it](#)
☒ CU
 ☐ Web


[Home](#)
[Articles](#)
[UserTV](#)
[Press Releases](#)
[Dictionary](#)
[Books](#)
[Education](#)
[Careers](#)
[B-Channels](#)
[Resources](#)
[Forums](#)
[Blogs](#)
[Classifieds](#)

Thursday 20 Dec, 2007


[eNewsletter](#) [Register](#) [Login](#)**Dictionary****The Most Comprehensive High-Tech Dictionary on the internet!**
[Random Words](#)
[Recent Words](#)
[Add New Word](#)
[Tech Word Search](#)
[My Words](#)
Tech Panel
[Y2K Terms](#)
[Emoticons](#)
[Chat Stuff](#)
[HTML Tags](#)
[File Types](#)
[Domains](#)
[Virus Terms](#)
[Communications](#)
[Electronics](#)
[Hardware](#)
[Networking/Security](#)
[Software](#)
[Programming](#)
[Opensource](#)
[Database](#)
[Internet](#)
[Wireless](#)
[Mobile Computing](#)
[Graphics](#)
[Multimedia](#)
[Gadgets](#)
[Others](#)
[VOIP](#)
[Adobe](#)
[Apple Mac](#)
[Autodesk](#)
[Cisco](#)
[Citrix](#)
[Google](#)
[IBM](#)
[Microsoft](#)
[Oracle](#)
[PHP](#)
[SUN](#)
[Imac](#)
[Search Tips](#)

Word**Definition****pager**

A small radio receiver which beeps to alert the wearer of messages or telephone calls. It displays the telephone number of the caller so the wearer can call back. Some pagers can display very short messages. Also called a beeper.

Random Words**Word :** [Fibonacci Number Program](#)
Explanation : Fibonacci number program is a popular program in many beginning computer science courses
Word : [Gregorian calendar](#)
Explanation : The calendar used in most countries of the world, which has 12 months and 365 days a year (except for leap years). It is a modified version of the Julian calendar, and was introduced by Pope Gregory XIII in 1582. (See leap year.)
**INDEX**

A	B	C	D	E	F	G	H
I	J	K	L	M	N	O	P
Q	R	S	T	U	V	W	X
Y	Z	0	1	2	3	4	5
6	7	8	9				
!	@	#	\$	%	^	&	~
;	.	:	/	()	{ }	< >	-
=							

Tech Word for Today**Word :** [Gregorian calendar](#)
Explanation : The calendar used in most countries of the world, which has 12 months and 365 days a year (except for
More...

Copyright © 1997-2007 ComputerUser Inc.

[About us](#) | [Terms of use](#) | [Privacy Policy](#) | [Legal](#) | [Trademark/Copyright](#) | [Awards](#) | [Advertise](#) | [Writer guidelines](#) | [Sitemap](#) | [Contact](#) | [FAQ's](#) | [Feedback](#) | [Link to us](#)

Here are the topics we cover computer certification computer careers computer training computer games consulting data recovery data security digital entertainment emerging technology gadget reviews handheld computers hardware reviews home automation home networks home office how-to advice Internet Linux local companies local news local profiles Macintosh MP3 players network security online music online security open-source small-business technology SOHO software reviews technology books technology dictionary VPN Web site reviews Wi-Fi Windows wireless technology

Register with ComputerUser today, As a register user you get access to Tech Articles,Tech News,Press Releases,Tech Dictionary, Education Resources,Career Solutions,Forums,Create your own blogs etc..

Appl. No. 09/922,813
Amdt. dated December 20, 2007
Reply to Office Action of September 20, 2007

EXHIBIT C

(Exhibit C includes 2 pages including cover page)

FLEX (protocol)

From Wikipedia, the free encyclopedia

This is an old revision of this page, as edited by 208.42.94.149 (Talk) at 17:29, 6 November 2007. It may differ significantly from the current revision.

(diff) ← Older revision | current version (diff) | Newer revision → (diff)

FLEX is a communication protocol developed by Motorola and used in many pagers. FLEX provides one-way communication only (from the provider to the pager device), but a related protocol called ReFLEX provides two-way messaging.

Transmission of message data occurs in one of four modes: 1600/2, 3200/2, 3200/4, or 6400/4. All modes use FSK modulation. At 1600/2 this is on a 2 level FSK signal transmitted at 1600 bits per second. At 3200/2, this is a 2 level FSK signal transmitted at 3200 bits per second. At 3200/4, this is a 4 level FSK signal transmitted at 1600 symbols per second. Each 4 level symbol represents two bits for a bit rate of 3200 bits per second. At 6400/2, this is a 4 level FSK signal transmitted at 3200 symbols per second or 6400 bits per second.

Data is transmitted in a set of 128 frames that takes 4 minutes to complete. Each frame contains a sync followed by 10 data blocks. The data blocks contain 256, 512 or 1024 bits for 1600, 3200 or 6400 bits per second respectively.

A BCH type ECC is used to improve the integrity of the data. The standard has been designed to allow the pager's receiver to be turned off for a high percentage of the time and therefore save on battery usage.

Retrieved from "http://en.wikipedia.org/wiki/FLEX_%28protocol%29"

Categories: Mobile | Wireless stubs

-
- This version of the page has been revised.
Besides normal editing, the reason for revision may have been that this version contains factual inaccuracies, vandalism, or material not compatible with the GNU Free Documentation License.

Appl. No. 09/922,813
Amdt. dated December 20, 2007
Reply to Office Action of September 20, 2007

EXHIBIT D

(Exhibit D includes 2 pages including cover page)



Search

Get it

CU Web

Home Articles UserTV Press Releases Dictionary Books Education Careers B-Channels Resources Forums Blogs Classifieds

Thursday 20 Dec, 2007

eNewsletter

Register

Login

Dictionary

The Most Comprehensive High-Tech Dictionary on the internet!

Random Words
Recent Words
Add New Word
Tech Word Search
My Words

Tech Panel

Y2K Terms
Emoticons
Chat Stuff
HTML Tags
File Types
Domains
Virus Terms
Communications
Electronics
Hardware
Networking/Security
Software
Programming
Opensource
Database
Internet
Wireless
Mobile Computing
Graphics
Multimedia
Gadgets
Others
VOIP
Adobe
Apple Mac
Autodesk
Cisco
Citrix
Google
IBM
Microsoft
Oracle
PHP
SUN
Imac
Search Tips

DSL search

Random Terms Recent Words

Word

Definition

DSL

Digital Subscriber Line or Digital Subscriber Loop. A technology which enables high-speed transmission of digital data over regular copper telephone lines. See also HDSL and ADSL.

DSL Access Multiplexer (DSLAM)

Digital Subscriber Line Access Multiplexer (DSLAM). A mechanism used by the phone company to link customers' DSL connections to a single high-speed ATM line.

DSLAM: Digital Subscriber Line Access Multiplexer

Digital Subscriber Line Access Multiplexer (DSLAM) is a device that aggregates many customer DSL connections to a single high-speed ATM line to the backbone network. When the phone company receives a DSL signal, an ADSL modem with a POTS splitter detects voice calls and data. Voice calls are sent to the PSTN, and data are sent to the DSLAM, where it passes through the ATM to the Internet, then back through the DSLAM and ADSL modem before returning to the customer's PC.

DSL - digital subscriber line

Digital subscriber lines carry data at high speeds over standard copper telephone wires. With DSL, data can be delivered at a rate of 1.5 mbps (around 30 times faster than through a 56-kbps modem).


Random Words

Word : customer support

Explanation : Service for customers that is provided by computer vendors and hardware and software manufacturers

Word : Gregorian calendar

Explanation : The calendar used in most countries of the world, which has 12 months and 365 days a year (except for leap years). It is a modified version of the Julian calendar, and was introduced by Pope Gregory XIII in 1582. (See leap year.)



INDEX


A B C D E F G H
I J K L M N O P
Q R S T U V W X
Y Z 0 1 2 3 4 5
6 7 8 9
! @ # \$ % ^ & ~
; . : / () { } < > -
=

Tech Word for Today

Word : Gregorian calendar

Explanation : The calendar used in most countries of the world, which has 12 months and 365 days a year (except for

More...



Copyright © 1997-2007 ComputerUser Inc.

About us | Terms of use | Privacy Policy | Legal | Trademark/Copyright | Awards | Advertise | Writer guidelines | Sitemap | Contact | FAQ's | Feedback | Link to us

Here are the topics we cover computer certification computer careers computer training computer games consulting data recovery data security digital entertainment emerging technology gadget reviews handheld computers hardware reviews home automation home networks home office how-to advice Internet Linux local companies local news local profiles Macintosh MP3 players network security online music online security open-source small-business technology SOHO software reviews technology books technology dictionary VPN Web site reviews Wi-Fi Windows wireless technology

Register with ComputerUser today, As a register user you get access to Tech Articles,Tech News,Press Releases,Tech Dictionary, Education Resources,Career Solutions,Forums,Create your own blogs etc..

Appl. No. 09/922,813
Amdt. dated December 20, 2007
Reply to Office Action of September 20, 2007

EXHIBIT E

(Exhibit E includes 2 pages including cover page)


[Articles](#) | [PR](#) | [Videos](#) | [Education](#) | [Blogs](#)

Search

[Get it](#)
☒ CU
 ☐ Web

[Home](#)
[Articles](#)
[UserTV](#)
[Press Releases](#)
[Dictionary](#)
[Books](#)
[Education](#)
[Careers](#)
[B-Channels](#)
[Resources](#)
[Forums](#)
[Blogs](#)
[Classifieds](#)

Thursday 20 Dec, 2007

[eNewsletter](#) [Register](#) [Login](#)**Dictionary****The Most Comprehensive High-Tech Dictionary on the internet!**
[Random Words](#)
[Recent Words](#)
[Add New Word](#)
[Tech Word Search](#)
[My Words](#)
Tech Panel
[Y2K Terms](#)
[Emoticons](#)
[Chat Stuff](#)
[HTML Tags](#)
[File Types](#)
[Domains](#)
[Virus Terms](#)
[Communications](#)
[Electronics](#)
[Hardware](#)
[Networking/Security](#)
[Software](#)
[Programming](#)
[Opensource](#)
[Database](#)
[Internet](#)
[Wireless](#)
[Mobile Computing](#)
[Graphics](#)
[Multimedia](#)
[Gadgets](#)
[Others](#)
[VOIP](#)
[Adobe](#)
[Apple Mac](#)
[Autodesk](#)
[Cisco](#)
[Citrix](#)
[Google](#)
[IBM](#)
[Microsoft](#)
[Oracle](#)
[PHP](#)
[SUN](#)
[Imac](#)
[Search Tips](#)

cable modem

search

[Random Terms](#)[Recent Words](#)

Word

Definition

cable modem

A cable modem is an external device that hooks up to your computer and instead of getting an internet connection through your telephone wire (or another system), you get a connection through your cable network (same place your cable TV connection comes from). Cable modems translate radio frequency (RF) signals to and from the cable plant into Internet Protocol (IP), the communications protocol spoken by all computers connected to the Internet. Cable modems are designed to take advantage of the broadband cable infrastructure enabling peak connection speeds over 100 times faster than traditional dial-up connections.

Cable Modem

Cable modem provides access of computers to network over cable TV lines. Most cable modems supply a 10 Mbps Ethernet connection for the home LAN. Cable modem achieve higher access speed to the World Wide Web than phone lines using dial up modem or even ADSL modem. The actual performance of a cable modem Internet connection can vary depending on the utilization of the shared cable line in that neighborhood, but typical data rates range from 300 Kbps to 1500 Kbps.


Random Words

Word : CIR

Explanation : Committed Information Rate. The minimum transmission speed between computers in a frame relay network.

Word : **Gregorian calendar**

Explanation : The calendar used in most countries of the world, which has 12 months and 365 days a year (except for leap years). It is a modified version of the Julian calendar, and was introduced by Pope Gregory XIII in 1582. (See leap year.)


**INDEX**

A	B	C	D	E	F	G	H
I	J	K	L	M	N	O	P
Q	R	S	T	U	V	W	X
Y	Z	0	1	2	3	4	5
6	7	8	9				
!	@	#	\$	%	^	&	~
;	.	:	/	()	{ }	< >	-
=							

Tech Word for Today

Word : Gregorian calendar

Explanation : The calendar used in most countries of the world, which has 12 months and 365 days a year (except for

More...

Copyright © 1997-2007 ComputerUser Inc.

[About us](#) | [Terms of use](#) | [Privacy Policy](#) | [Legal](#) | [Trademark/Copyright](#) | [Awards](#) | [Advertise](#) | [Writer guidelines](#) | [Sitemap](#) | [Contact](#) | [FAQ's](#) | [Feedback](#) | [Link to us](#)

Here are the topics we cover computer certification computer careers computer training computer games consulting data recovery data security digital entertainment emerging technology gadget reviews handheld computers hardware reviews home automation home networks home office how-to advice Internet Linux local companies local news local profiles Macintosh MP3 players network security online music online security open-source small-business technology SOHO software reviews technology books technology dictionary VPN Web site reviews Wi-Fi Windows wireless technology

Register with ComputerUser today, As a register user you get access to Tech Articles,Tech News,Press Releases,Tech Dictionary, Education Resources,Career Solutions,Forums,Create your own blogs etc..